

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30539	709/201-203,217-220,223-225,249.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 16:55
L2	502	1 and (list\$3 order sequence arrang\$3 reorder\$3 re?order\$5 rearrang\$5 re?arrang\$3) near5 (notification event detect\$3 snmp) near3 (snmp items bind\$5 trap adj1 message inform adj1 message object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 17:05
L3	10	2 and (modif\$3 updat\$3) near5 (notification object event trap message) near3 snmp	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 17:00
L4	0	3 and (defined specified directed desired requested) near3 (list\$3 order\$3 sequence arrang\$3 reorder\$3 re?order\$5 rearrang\$5 re?arrang\$3) near5 (object mib notification event detect\$3 snmp) near3 (snmp items bind\$5 trap adj1 message inform adj1 message object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 17:07
L5	35	2 and (defined specified directed desired requested) near3 (list\$3 order\$3 sequence arrang\$3 reorder\$3 re?order\$5 rearrang\$5 re?arrang\$3) near5 (object mib notification event detect\$3 snmp) near3 (snmp items bind\$5 trap adj1 message inform adj1 message object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 17:10
L6	18	5 and (include defin\$3 specif\$5) near3 (list\$3 order\$3 sequence arrang\$3 reorder\$3 re?order\$5 rearrang\$5 re?arrang\$3) near5 (object mib event detect\$3 snmp) near3 (notification event detected trap adj1 message inform adj1 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 17:21
L7	4	6 and management adj1 station	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 17:22
S1	10155	709/213,214,216-219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/14 13:34

EAST Search History

S2	12314	709/225-227,232,238,245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 14:00
S92	314	snmp.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:12
S93	1089	snmp.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:12
S94	1433	snmp.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:12
S95	2329	S92 S93 S94	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:16
S96	241388	S95 and manag\$5 near2 (station device unit) nearr5 (defin\$4 specif\$5) near2 (order sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:23
S97	2	S95 and manag\$5 near2 (station device unit) near5 (defin\$4 specif\$5) near2 (order sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:23
S98	5	S95 and (modif\$3 updat\$3) near2 (list\$3 order sequence) near5 object	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:21
S99	5	S95 and (modif\$3 updat\$3) near2 (list\$3 order sequence) near5 (notification object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 16:59
S100	276	S95 and (list\$3 order sequence) near5 (notification object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:26
S101	102	S100 and (defin\$4 specif\$5 arrang\$3 rank\$3) near4 (order sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:23
S102	6616532	S101 and manag\$6 near2 (station device unit) nearr5 (defin\$4 specif\$5 requested desired instructed)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:25

EAST Search History

S10 3	51	S101 and manag\$6 near2 (station device unit) near5 (defin\$4 specif\$5 requested desired instructed)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:25
S10 4	36	S103 and (list\$3 order sequence arrang\$3 reorder\$3 re?order\$5 rearrang\$5 re?arrang\$3) near5 (notification event detect\$3) near3 (items bind\$5 trap adj1 message inform adj1 message object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 14:33
S10 5	1521	((list\$3 order sequence arrang\$3 reorder\$3 re?order\$5 rearrang\$5 re?arrang\$3) near5 (notification event detect\$3) near3 (items bind\$5 trap adj1 message inform adj1 message object)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:53
S10 6	0	("CISCO TECHNOLOGY, INC.").asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:54
S10 7	7050	(CISCO adj1 TECHNOLOGY).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:55
S10 8	2	S105 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:55
S10 9	45	("MCCLOGHRIE, KEITH" "KAVASSERI, RAMANATHAN" "DURHAM, SANDRA").inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:56
S11 0	2	S105 and S109	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 13:56
S11 1	26509	709/202-203,218-220,223-225,249. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 16:54
S11 2	2422	719/315-318.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 14:32
S11 3	162	S112 and (list\$3 order sequence arrang\$3 reorder\$3 re?order\$5 rearrang\$5 re?arrang\$3) near5 (notification event detect\$3) near3 (items bind\$5 trap adj1 message inform adj1 message object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 14:33

EAST Search History

S11 4	168	S112 and (list\$3 order sequence arrang\$3 reorder\$3 re?order\$5 rearrang\$5 re?arrang\$3) near5 (notification event detect\$3 snmp) near3 (snmp items bind\$5 trap adj1 message inform adj1 message object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 16:55
S11 5	2	S114 and manag\$6 near2 (station device unit) near5 (defin\$4 specif\$5 requested desired instructed) near4 (list\$3 order sequence arrang\$3 reorder\$3 re?order\$5 rearrang\$5 re?arrang\$3) near5 (notification event detect\$3 snmp items bind\$5 trap adj1 message inform adj1 message object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 16:57

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

management station modify snmp object spe

Search

[Advanced Search](#)
[Preferences](#)**Web** Results **51 - 60** of about **196,000** for **management station modify snmp object specific order**. (0.17 se**Network Working Group D. Raz Request for Comments: 2962 Lucent ...**

An **SNMP** PDU defines the parameters for a **specific SNMP** protocol operation. ... are to be managed from a single **management station** address collision occurs. ...

www.ibr.cs.tu-bs.de/bin/rfc.cgi?PATTERN=2962&backurl=%2Fvs%2Fbib.html&lang=de - 69k - [Cached](#) - [Similar pages](#)

User-friendly interface for setting expressions on an **SNMP agent ...**

In **order** for an **SNMP management station** 10 to manage a node directly, ... **station** to query the state of the agent's local **objects** and **modify** them if ...

www.patentstorm.us/patents/6085237-description.html - 38k - [Cached](#) - [Similar pages](#)

[PDF] 01.CovMaster-Cyan copy

File Format: PDF/Adobe Acrobat

SNMP polls. It will be assumed that the **management station** and the ... In **order** to achieve that, we will use the local syslog ... vendor-**specific** MIBs. ...

www.usenix.org/publications/login/2003-02/pdfs/skvarcek.pdf - [Similar pages](#)

Net-SNMP

In particular, it is legal to **modify** schedInterval and the **objects** in the ... A pointer to a **specific object** instance. For example, sysContact.0 or ...

net-snmp.sourceforge.net/docs/mibs/schedMIB.html - 46k - [Cached](#) - [Similar pages](#)

MultiNet V5.1 Install & Admin Guide Ch23.htm

Specific items in the **SNMP management** base that appear after the SMUX MIB ... To define the values of several MIB **objects** in the **SNMP** configuration file, ...

www.process.com/tcpip/mndocs51/ADMIN_GUIDE/Ch23.htm - 41k -

[Cached](#) - [Similar pages](#)

SWITCHmirror - Internet-Drafts & RFC

The **SNMP Network Management Framework** The **SNMP Network Management Framework** ... If a **Management Station** requests the **objects** from a row with index "#INTER " ...

mirror.switch.ch/cgi-bin/search/nph-findstd?preview=2051&scope=rfc - 21k -

[Cached](#) - [Similar pages](#)

RFC 1271 Remote Network Monitoring **Management Information Base**

RFC 1157 which defines the **SNMP**, the protocol used for network access to managed ... In fact, a network **management station** should only **modify** these **objects** ...

www1.tools.ietf.org/html/rfc1271 - 202k - [Cached](#) - [Similar pages](#)

Sun ONE Directory Server 5.2 Getting Started Guide:

In Sun ONE Directory Server, the managed **objects** are held in cn=monitor, and the **SNMP** agent provides to the network **management station**. ...

docs.sun.com/source/816-6696-10/glossary.html - 49k - [Cached](#) - [Similar pages](#)

[PDF] Distributed Network **Management Using **SNMP**, Java, WWW and CORBA**

File Format: PDF/Adobe Acrobat

For communication between the **objects** a **specific Object Request Broker** ... lect and **modify management** information. Within this context, we have defined ...

www.springerlink.com/index/M3283517822285R5.pdf - [Similar pages](#)

[PDF] [Transparent Ready](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

management station, to monitor and control all Ethernet architecture ... The Transparent Ready private MIB includes **management objects specific** to the ...

www.telemecanique.com/_85256e54006445ad.nsf/

[all/18073FEE56FF26DF412570D800581E23/\\$File/transparentreadys...](#) - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

management station specifies list snmp objec



[Advanced Search](#)
[Preferences](#)

Web Results 11 - 13 of 13 for management station specifies list snmp object specific order reordered RAI

[PDF] [COMPUTER COMMUNICATION REVIEW](#)

File Format: PDF/Adobe Acrobat

independent of any **specific** policy, they may require systematic. though limited adaptation work, in **order** to support any particular. economic model. ...

www.sigcomm.org/ccr/archive/2002/nov02/ccr-2002-5-all.pdf - [Similar pages](#)

[194 02 2007-04-12 10828 This document describes a two rate three ...](#)

This document **specifies** a link **management** protocol (LMP) that runs ... In particular, it defines a set of managed **objects** for **SNMP** based **management** of the ...

rtg.ietf.org/~fenner/ietf/id-combo.xml - [Similar pages](#)

[PDF] [Quality issues in Internet packet forwarding](#)

File Format: PDF/Adobe Acrobat

packets within an application data stream are not **reordered** even if they are ... **order** of a TCP saw tooth from 66 to 133 percent of the rate **specified** in ...

epubl.ltu.se/1402-1544/2003/15/LTU-DT-0315-SE.pdf - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 13 already displayed.

If you like, you can repeat the search with the omitted results included.

Result Page: [Previous](#) [1](#) [2](#)

management station specifies list sn



[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web** Results **41 - 50** of about **904** for **management station specifies list snmp object specific order reordered****[PDF]** [NTCIP Standards Bulletin](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

the read of this **object**, then the **management station** is the owner of the ... which has the most **specific** date **specified**. Select the more **specific** event ...

www.ntcip.org/new/NTCIP_1201_Amend_2_v10_RA.pdf - [Similar pages](#)**Diff:** [/away/ietf/rfc/rfc1461.txt](#) - [/away/ietf/all-ids/draft-ietf ...](#)

Some **objects** were **re-ordered** and some descriptions were ... creating **management station** is still setting, creating **management station** is still setting ...

bgp.potaroo.net/cgi-bin/htmldiff?f1=rfc1461.txt&f2=draft-ietf-x25mib-ipox25mib-04.txt - 270k- [Cached](#) - [Similar pages](#)**[PDF]** [Network Management Protocols and Tools Study](#)

File Format: PDF/Adobe Acrobat

SNMP managers and the agents. A network **management station** (NMS) is a ... which **specifies** the **object** type. The syntax (ASN.1) has the intention to ...

content.grin.com/data/22/1892.pdf - [Similar pages](#)**RFC3287**

The **SNMP Management Framework** presently consists of five major components: ... A **management station** can use this **object** to detect if counters in the DSMON ...

www.scit.wlv.ac.uk/rfc/rfc32xx/RFC3287.html - 235k - [Cached](#) - [Similar pages](#)**SNMP Information and News Information and Resources | Snmp manager ...**

In essence, a principal operates from a **management station** and issues **SNMP** ... and a **list** of variables (**management objects**) to which the command refers. ...

www.cybersnmp.com/article.xml - 129k - [Cached](#) - [Similar pages](#)**[doc]** [Combo Document](#)File Format: Microsoft Word - [View as HTML](#)

Requests to be added to the Windows **SNMP** mailing **list** should be addressed to ... When hereinafter we use the prototypical **management station/managed node** ...

www.ibiblio.org/pub/micro/pc-stuff/ms-windows/winsnmp/winsnmp_app/OLD/winsnmp.doc- [Similar pages](#)**[doc]** [Combo Document](#)File Format: Microsoft Word - [View as HTML](#)

Requests to be added to the Windows **SNMP** mailing **list** should be addressed as ... When hereinafter we use the prototypical **management station/managed node** ...

www.winsnmp.com/docs/winsnmp.doc - [Similar pages](#)**heise Netze - RFC 3287: Remote Monitoring MIB Extensions for ...**

The **SNMP Network Management Framework** The **SNMP Management Framework** ... A **management station** can use this **object** to detect if counters in the DSMON data ...

www.heise.de/netze/rfc/rfcs/rfc3287.shtml - 272k - [Cached](#) - [Similar pages](#)**EP856812 Symbol european software patent - Portable shopping and ...**

EP856812 Symbol technologies inc (US): Portable shopping and **order** fulfillment ... points is compatible with the Simple Network **Management Protocol (SNMP)**. ...

gauss.ffii.org/PatentView/EP856812 - 140k - [Cached](#) - [Similar pages](#)

Portable shopping and order fulfillment system - US Patent 7040541

Store **specific** shopping system and method including a map/shopping **list** ... access points is compatible with the Simple Network **Management** Protocol (**SNMP**). ...
www.patentstorm.us/patents/7040541-description.html - 97k - [Cached](#) - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#)

[Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

management station modify snmp object specific order

Search

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about **196,000** for **management station modify snmp object specific order**. (0.33 sec)

Net-SNMP

If there is no lower sub-layer, then this **object** has the value 0. ... 'createAndGo', which is supplied by a **management station** wishing to create a new ...

net-snmp.sourceforge.net/docs/mibs/ifInvertedStackMIB.html - 19k -

[Cached](#) - [Similar pages](#)

SNMP MIB

When an **SNMP** agent needs to access a **specific** managed **object**, it traverses ... As the **management station** gets and sets **object** values in the local **SNMP** MIB ...

edocs.bea.com/snmpagnt/v210/mibref/1tmib.html - 41k - [Cached](#) - [Similar pages](#)

Using the BEA SNMP Agent Integrator for Polling

The BEA **SNMP** Agent Integrator must know how to access the managed **object**. ... The **specific** rule can be Set from a **management station** (such as OpenView or ...

edocs.bea.com/snmpagnt/v210/adminguide/6polling.html - 59k - [Cached](#) - [Similar pages](#)

How To Add, Modify, and Remove VLANs on a Catalyst Using SNMP [IP ...

The **management station** should endeavor to make all rows consistent in the table ... In **order** to check which VLANs are currently configured on the switch, ...

www.cisco.com/en/US/tech/tk648/tk362/technologies_tech_note09186a00801c6035.shtml -

37k - [Cached](#) - [Similar pages](#)

Cisco - SNMP FAQs for Cable Networks

In **order** for a **management** system (like CiscoView or HPOV) to understand a ... A. Use the **SNMP Object** Navigator to translate traps and Cisco MIB **Object** IDs ...

www.cisco.com/warp/public/109/cable_snmp_faq.shtml - 47k - [Cached](#) - [Similar pages](#)

[[More results from www.cisco.com](#)]

Network Management for Microsoft Networks Using SNMP

The Network **Management Station** can issue **specific** requests to a device for ... In **SNMP**, MIB **objects** are given a unique **object** identifier consisting of a ...

www.microsoft.com/technet/archive/winntas/maintain/networkm.mspx - 54k -

[Cached](#) - [Similar pages](#)

Zvon - RFC 2021 [Remote Network Monitoring Management Information ...

In fact, a network **management station** should only **modify** these **objects** under the ... attempt to set configuration information simultaneously using **SNMP**. ...

www.zvon.org/tmRFC/RFC2021/Output/chapter3.html - 19k - [Cached](#) - [Similar pages](#)

IETF March 1998 Proceedings - edited

The MIB **object** definitions produced will be for use by **SNMP** and will be ... The concern was that a **management station** can't tell whether an agent is ...

www3.ietf.org/proceedings/98mar/98mar-edited-73.htm - 26k - [Cached](#) - [Similar pages](#)

Network management agent with user created objects providing ...

There are typically no provisions for a user to add or **modify** **objects**. ... Network **management station** 102 manages a variety of managed nodes 104, 108. ...

www.freepatentsonline.com/5367635.html - 35k - [Cached](#) - [Similar pages](#)

RFC 2962 (rfc2962) - An SNMP Application Level Gateway for Payload ...

This information is then sent by the router back to the **management station** as part of the payload of an **SNMP** packet. In **order** to retain consistency in the ...
www.faqs.org/rfcs/rfc2962.html - 47k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

management station modify snmp object sp

Search

[Advanced Search](#)
[Preferences](#)**Web** Results 31 - 40 of about 196,000 for management station modify snmp object specific order. (0.40 se**[PDF] Utilizing Leading Edge Management Technologies Within The Tactical ...**

File Format: PDF/Adobe Acrobat

utilized within a **specific management** environment. Application **Objects** provide services ... messages are transmitted to the **SNMP** agent software that ...ieeexplore.ieee.org/iel3/4198/12335/00569404.pdf?arnumber=569404 - [Similar pages](#)**rfc3577.txt**The probe may then attempt to notify the **management station** when an ... The RMON-1 alarmTable **objects** and RMON-1 notification types are **specific** to 32-bit ...www.ietf.org/rfc/rfc3577.txt - 68k - [Cached](#) - [Similar pages](#)**[PDF] PSTN/ ISDN/ VoIP - Based Solution for Voice Communications within ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)The **SNMP** manager can retrieve **management** information. from the agent by sending requests (get, getNext, getBulk). In **order** to **modify** the **management** ...www.utcluj.ro/telefoane/PSTN_ISDN_VoIP.pdf - [Similar pages](#)**SNMP - Simple Network Managment Protocol****Object** instances (protocol **specific**): message transmission format (BER) ... Each **SNMP** managed **object** belongs to a community; NMS **station** may belong to ...www2.rad.com/networks/1995/snmp/snmp.htm - 21k - [Cached](#) - [Similar pages](#)**Webmaster's Guide**The **SNMP** agent talks to the network **management station** or responds to command ...The following Variable Names and **Object** IDs are provided for **SNMP** support ...165.166.240.2/Docs/icswgmgt.htm - 26k - [Cached](#) - [Similar pages](#)**[PS] A Study of Web-Based SNMP Network Management with a Simple Java ...**File Format: Adobe PostScript - [View as Text](#)(2) GetNext -- Allows the **management station** to retrieve the next **object** in the MIB ... in **order** to change or **modify** the data it displays, whereas a Java ...ftp://ftp.eng.auburn.edu/pub/techreports/cse/98/CSE98-01.ps.gz - [Similar pages](#)**[Chapter 11] 11.9 Simple Network Management Protocol**The manager (the client) runs on the Network **Management Station** (NMS). ... Every **object** managed by **SNMP** has a unique **object** identifier defined by the ASN.1 ...www.unix.org.ua/oreilly/networking/tcpip/ch11_09.htm - 21k - [Cached](#) - [Similar pages](#)**RFC 3577**There are sometimes conditions when a **management station** will not be in ... at agent initialization and SHOULD NOT **modify** the **objects** during operation. ...www.apps.ietf.org/rfc/rfc3577.html - 70k - [Cached](#) - [Similar pages](#)**RFC 2962****station** as part of the payload of an **SNMP** packet. In **order** to retain consistency ... and irrespective of the **specific** managed **object** types being accessed. ...www.apps.ietf.org/rfc/rfc2962.html - 47k - [Cached](#) - [Similar pages](#)**RFC 1446 - Security Protocols for version 2 of the Simple Network ...**In **order** to reset these values, the responsible **management station** may set the ... to

ensure the processing of SNMPv2 messages occurs in a **specific order**. o ...
rfc.sunsite.dk/rfc/rfc1446.html - 112k - [Cached](#) - [Similar pages](#)

Result Page: **[Previous](#)** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google